

CVN-77 Unitary Reefers

UCF20-2M-SN

Stainless Steel Shipboard Undercounter Freezer Modified
72" Wide x 30.5" Deep x 32" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing # 50399, Latest Revision



R30-2M-SN

Stainless Steel Shipboard Refrigerator Modified
58" Wide x 26.5" Deep x 70" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 50402 Latest Rev



R41-2M-SN

Stainless Steel Shipboard Refrigerator Modified
51" Wide x 33.5" Deep x 73.5" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 50403 Latest Rev



R65-2M-SN

Stainless Steel Shipboard Refrigerator Modified
85.5" Wide x 33" Deep x 71.75" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 50406 Latest Rev



CVN-77 Unitary Reefers

CFC4T-2M-SN

Stainless Steel Shipboard 4 Tray Cold Food Counter Modified
59.5" Wide x 25.5 Deep x 27.5" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 50410 Latest Rev



CFC4T-2M-SN

Stainless Steel Shipboard 4 Tray Cold Food Counter Modified
59.5" Wide x 25.5 Deep x 27.5" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 50416 Latest Rev



UCR20-2M-SN

Stainless Steel Shipboard Undercounter Refrigerator Modified
72" Wide x 30.5" Deep x 32" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing # 50398, Latest Revision



CFC6T-2M-SN

Stainless Steel Shipboard 6 Tray Cold Food Counter Modified
84" Wide x 25.5 Deep x 27.5" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 50415 Latest Rev



CFC3T-2M-SN

Stainless Steel Shipboard 3 Tray Cold Food Counter Modified
54" Wide x 26 Deep x 30" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 50882



CVN-77 Unitary Reefers

CFC6T-2M-SN

Stainless Steel Shipboard 6 Tray Cold Food Counter Modified
84" Wide x 25.5 Deep x 27.5" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 50417 Latest Rev



R20-2M-SN

Stainless Steel Shipboard Refrigerator Modified
39" Wide x 27 Deep x 70" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 50400 Latest Rev



R50-2M-SN

Stainless Steel Shipboard Refrigerator Modified
68" Wide x 33.5 Deep" x 70" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 50405 Latest Rev



F41-2M-SN

Stainless Steel Shipboard Freezer Modified
60" Wide x 35 Deep" x 70" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 50404 Latest Rev



CVN-77 Unitary Reefers

UCF20-2M-SN

Stainless Steel Shipboard Undercounter Freezer Modified
72" Wide x 30.5" Deep x 32" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing # 50399, Latest Revision



R30-2M-SN

Stainless Steel Shipboard Refrigerator Modified
58" Wide x 26.5" Deep x 70" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 50402 Latest Rev



R41-2M-SN

Stainless Steel Shipboard Refrigerator Modified
51" Wide x 33.5" Deep x 73.5" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 50403 Latest Rev



CFC6T-2M-SN

Stainless Steel Shipboard 6 Tray Cold Food Counter Modified
84" Wide x 25.5" Deep x 27.5" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 50415 Latest Rev



CVN-77 Unitary Reefers

R10F10-2M-SN

Stainless Steel Shipboard Refrigerator/Freezer
32" Wide x 30" Deep x 72" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 50881



CVN-77 George H.W. Bush

R10F10-2M-SNL-MLR

Stainless Steel Shipboard Modular Refrigerator/Freezer w/ High/Low/High Temperature Alarm
32" Wide x 26" Deep x 72" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Right IAW Cospolich Drawing 50620 Rev A



F4-2M-SNL-MLR

Stainless Steel Shipboard Modular Freezer w/ High/Low Temperature Alarm
24" Wide x 25" Deep x 34" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Right IAW Cospolich Drawing 50621 Rev C



UCR5-2M-SNL-MLR

Stainless Steel Shipboard Modular Undercounter Refrigerator w/ High/Low Temperature Alarm
40" Wide x 25.75" Deep x 28" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Right IAW Cospolich Drawing 50622 Rev A



CVN-77 George H.W. Bush

F41-2M-SN

Stainless Steel Shipboard Freezer Modified
58" Wide x 30 Deep" x 74" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 50692 Rev C




R10-2M-SNL-MLR

Stainless Steel Shipboard Modular Refrigerator w/ High/Low Temperature Alarm
30" Wide x 23" Deep x 58" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Right IAW Cospolich Drawing 50475 Rev C



CVN77PSL-92482

Stainless Steel Shipboard Port Side Serving Line
68" Wide x 90" Wide x 94" Wide x 36" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 92482



FSL6T-2M-SN-MLR

Stainless Steel Flex Serving Line w/ Removable Modules
116" Wide x 29 Deep x 30" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 92487




CVN-77 George H.W. Bush

CVN77SSL-92483

Stainless Steel Shipboard Starboard Serving Line
222" Wide x 48" Deep x 112" High x 143" Wide x 37" Deep x 30" Deep x 36" High
115 VAC, 1 Phase, 60 hz, 404a Refrigerant
IAW Cospolich Drawing 92483

Includes:

- 37.25' of 12 ga. Stainless Steel Worktop w/ Marine Edge and 4" Backsplash
- 21.25' of Stainless Steel Closed Base Section w/ interior Shelf and Doors
- 1 ea UCR30-2M-SN-MLR Undercounter Refrigerator
- Approx. 16' Long Beverage Stand Drain Trough
- Positive Latching Doors
- 4 ea. Portable Dual Temp Serving Modules
- 2 ea. Bowl Dispensers
- 1 ea. Plate Dispenser
- 207" of Ribbed (Solid) Tray Rail
- 2 ea. Soup Wells Size to be determined
- Set of Stainless Marine Style Legs Adjustable from 6" to 7.5"
- Two-Tier Display 4 Tray w/ Singles Side Access (Door Side)



R50-2M-SN-MLR

Stainless Steel Shipboard Modular Refrigerator w/ High/Low Temperature Alarm
65" Wide x 31" Deep x 72" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 50678
Shipping Weight: 1200 lbs.



UCR15-2M-SN-MLR

Stainless Steel Shipboard Undercounter Refrigerator
66" Wide x 25" Cabinet Depth x 28" High 115 VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing 50269
Shipping Weight: 435 lbs. (not Wood Box Crated)



HLEG63SET

Marine Style Adjustable Stainless Steel Legs
6" to 7.5"

