

US Coast Guard

HP1V-2M-SN-MLR

Stainless Steel, Shipboard, Modular Vertical Proofing Cabinet

28" Wide x 30" Actual Cabinet Depth x 60" Height

115VAC, 1-Phase, 60hz

Hinge Location: Left

IAW Cospolich Drawing: 50876

Shipment Weight: 850 lbs.

- Features:
- The actual depth dimension of 30" does not include the doors.
 - The cabinet height dimension of 60" does not include the mounting legs or a stainless steel foundation attached to the cabinet bottom.
 - The cabinet will be constructed of 304 stainless steel on the interior and exterior.
 - Cospolich Drawing #50876A reflects the controls located on the right side. The coast Guard confirmed on 9/14/07 the cabinet on the RIGHT SIDE location for the controls was acceptable.
 - This cabinet will be configured with the following features:
 - Thermometer
 - Air & Humidity Thermostat
 - Diffuser
 - Tray/Pan
 - Water Pan
 - Two Point Latching System on Cabinet Door
 - A set of 4 stainless steel, flanged 6" to 7 1/2" adjustable height mounting legs to be provided for this unit.



F20-2M-ADS-MLR

Cospolich 304 Stainless Steel Marine Duty Modular Freezer

32" Wide, x 31" Actual Cabinet Depth x 72" High

115VAC, 1-Phase, 60hz, 134a Refrigerant

Hinge Location: Right



US Coast Guard

R20-2M-SNL

Stainless Steel, Shipboard, Modular Vertical Proofing Cabinet
32" Wide x 30" Actual Cabinet Depth x 60" Height
115VAC, 1-Phase, 60hz, 404a Refrigerant
Hinge Location: Left
IAW Cospolich Drawing: 50928
Features: - NO mounting Legs will be required
- Provide a High/Low Temperature Alarm, which will have visual and audible Signals, that can be integrated into an existing alarm system.



WIDFF(MIL)

Cospolich 304 Stainless Steel Shipboard, Walk-In Freezer Door & Frame Assembly w/ Hardware
Bulk Opening 33 1/2" Wide, x 75 1/2" High
Clear Opening: 30" Wide x 72" Height
Actual Door Size: 32" Wide x 74" Height
115VAC, 1-Phase, 60hz, 134a Refrigerant
Hinge Location: Right
IAW Cospolich Drawing # 60326-2
Shipment Weight: 575 Lbs. / Door Assembly
Features: - 5" Door Thickness
- 5 5/8" Jamb Thickness
- Casing 5 1/2" Width on Sides & Top of Frame
- Door Sill—3" Height on bottom
- 115V, 1-Phase, 60 Hz Heater Wire in Frame Assembly
- Internal Safety Release on Door
- 304 Stainless Steel Construction on Exterior and Interior
- Chrome Plated Steel Holdback Hook Assembly
- 3 Kason Door Hinges (#1076 or equal)
- Kason # K-55 Latch Assembly
- Junction Box Located in upper left hand corner of frame (or opposite side of hinges)



R10F10-2M-SN-MLR

Cospolich 304 Stainless Steel Shipboard, Modular Refrigerator/Freezer
32" x Wide x 31" Depth x 72" Height
115VAC, 1-Phase, 60hz, 134a Refrigerant
Hinge Location: Right
IAW Cospolich Drawing # 50297



US Coast Guard

WIDFC(MIL)

Cospolich Stainless Steel, Shipboard, Walk-In Cooler Door & Frame Assembly w/ Hardware

Bulk Opening: 33 1/2" Wide x 75 1/2" Height

Clear Opening: 30" Wide x 72" Height

Actual Door Size: 32" Wide x 74" Height

Hinge Location: Left

IAW Cospolich Drawing: 60326

Shipping Weight: 575 Lbs. Door Assembly

Features: - 5" Door Thickness

- 5 5/8" Jamb Thickness

- Casing 5 1/2" Width on Sides & Top of Frame

- Door Sill—3" Height on bottom

- 115V, 1-Phase, 60 Hz Heater Wire in Frame Assembly

- Internal Safety Release on Door

- 304 Stainless Steel Construction on Exterior and Interior

- Chrome Plated Steel Holdback Hook Assembly

- 3 Kason Door Hinges (#1076 or equal)

- Kason # K-55 Latch Assembly

- Junction Box Located in upper right hand corner of frame (or opposite side of hinges)



WIDFF(MIL)

Cospolich Stainless Steel, Shipboard, Walk-In Freezer door & Frame Assembly w/ Hardware

Bulk Opening: 33 1/2" Wide x 75 1/2" Height

Clear Opening: 30" Wide x 72" Height

Actual Door Size: 32" Wide x 74" Height

Hinge Location: Left

IAW Cospolich Drawing: 60326-1

Shipping Weight: 575 Lbs. Door Assembly

Features: - 5" Door Thickness

- 5 5/8" Jamb Thickness

- Casing 5 1/2" Width on Sides & Top of Frame

- Door Sill—3" Height on bottom

- 115V, 1-Phase, 60 Hz Heater Wire in Frame Assembly

- Internal Safety Release on Door

- 304 Stainless Steel Construction on Exterior and Interior

- Chrome Plated Steel Holdback Hook Assembly

- 3 Kason Door Hinges (#1076 or equal)

- Kason # K-55 Latch Assembly

- Junction Box Located in upper right hand corner of frame (or opposite side of hinges)



US Coast Guard

R45F30-2M-ADS-MLR

Cospolich Stainless Steel, Shipboard, Marine Duty, Modular Combination Refrigerator/Freezer
95" Wide x 31" Actual Cabinet Depth x 73 1/2" Height

Hinge Location: Standard

115V, 1-Phase, 60 Hz, 404A Refrigerant

IAW Cospolich Drawing: 50330

Shipping Weight: 1,575 Lbs.

Features: - The cabinet bottom will include a 3" height, mild steel channel base frame for mounting and installation.
- Include a set of 6 stainless steel, flanged, 6" to 7 1/2" adjustable height mounting legs for this unit.



HFC4T-2M-S-MLR

Cospolich Stainless Steel, Shipboard, Modular Hot food counter w/ 2-Tier Display Case
66" Wide x 26" Overall Cabinet Depth x 30" Height

Hinge Location: Standard

Shipping Weight: 740 Lbs. Door Assembly

Features: - A single side access 2—Tier Display Case to be provided with this Hot Food Counter.
The Curved protector Shields on this Display Case will be on the cabinet's Door Side.
- No Folding Tray Rail will be required for this Hot Food Counter.
- Include 1 set of four stainless steel, flanged, 6" to 7 1/2" adjustable height mounting legs for this unit.
- The location for the drain line and electrical line outlets will be on the and electrical line outlets will be on the cabinet's RIGHT side (based on directly facing the cabinet's door side). The vessel did not specify the location as either in the front or the rear area on the cabinet leaving it to the discretion of Cospolich.



R30-2M-SM-MLR

Cospolich Stainless Steel, "Modified", Modular Refrigerator
48" Wide x 27 1/2" Actual Cabinet Depth x 72" Height

Hinge Location: Standard

Features: - The cabinet depth dimension does not include cabinet doors. The OVERALL CABINET DEPTH dimension including the cabinet doors MUST NOT EXCEED 29 1/2"
- NO mounting legs will be required for this unit.



US Coast Guard

R20F20-2M-ADS

Cospolich Stainless Steel, Shipboard, Marine Duty, Refrigerator/Freezer
58" Wide x 30" Actual Cabinet Depth x 72" Height
Hinge Location: Standard
115V, 1-Phase, 60 Hz, 404A Refrigerant
IAW Cospolich Drawing: 50296
Features: - NO mounting legs will be required for this unit.



R41-2M-S

Cospolich Stainless Steel, Refrigerator
51" Wide x 30" Depth x 72" Height
Hinge Location: Standard
115V, 1-Phase, 60 Hz, 404A Refrigerant
IAW Cospolich Drawing: 50272
Unit Specifications: - NO Mounting Legs will be required for this unit.



CFC3T-2M-SM-MLR

Cospolich Stainless Steel, Shipboard, Modular Cold Food Counter
54" Wide x 26" Depth x 30" Height
115V, 1-Phase, 60 Hz, 404A Refrigerant
Hinge Location: Left
IAW Cospolich Drawing: 50550-1
Features: - 1 Double Access 2-Tier Display P/N FDS2S-4T
- 1 Set of 4 S/S adjustable legs. Adjustable from 6" to 7.5"



US Coast Guard

F41-2M-SN-MLR

Cospolich Stainless Steel, Shipboard, Modular Freezer
51" Wide x 31" Depth x 72" Height
Hinge Location: Standard
115V, 1-Phase, 60 Hz, 404A Refrigerant
IAW Cospolich Drawing: 50724



R13F17-2M-ADS

Cospolich Stainless Steel, Marine Duty, Refrigerator/Freezer
48" Wide x 30" Depth x 72" Height
Hinge Location: Standard
115V, 1-Phase, 60 Hz, 404A Refrigerant
IAW Cospolich Drawing: 50605
Unit Specifications: - Set of 4 Stainless Steel, Adjustable mounting legs 6" - 7.5"



CFC4T-2M-SM-MLR

Cospolich Stainless Steel, Shipboard, Modular Cold Food Counter
66" Wide x 26" Depth x 30" Height
115V, 1-Phase, 60 Hz, 404A Refrigerant
Hinge Location: Standard
IAW Cospolich Drawing: 50548
Special Notes: NO Mounting Rail
NO Tray Rail
NO Top-Mount Accessories



US Coast Guard

UCR20-2M-SN-MLR

Cospolich Stainless Steel, Shipboard, Modular Undercounter Refrigerator
84" Wide x 25" Depth x 28" Height
Hinge Location: Standard
115V, 1-Phase, 60 Hz, 404A Refrigerant
IAW Cospolich Drawing: 50628



UCF20-2M-SN-MLR

Cospolich Stainless Steel, Shipboard, Modular Undercounter Freezer
84" Wide x 25" Depth x 28" Height
Hinge Location: Standard
115V, 1-Phase, 60 Hz, 404A Refrigerant
IAW Cospolich Drawing: 50666



UCF10-2M-ADS-MLR

Cospolich Stainless Steel, Shipboard, Marine Duty Modular Undercounter Freezer
49" Wide x 25" Depth x 28" Height
115V, 1-Phase, 60 Hz, 404A Refrigerant
Hinge Location: Right
IAW Cospolich Drawing: 50764
NO Mounting Legs will be required for this unit.



US Coast Guard

HFC5T-2M-SN-MLR

Cospolich Stainless Steel, Shipboard, Modular Hot Food counter w/ Display and Heat Lamps
78" Wide x 26" Depth x 30" Height
Hinge Location: Standard
115V, 1-Phase, 60 Hz, 404A Refrigerant
IAW Cospolich Drawing: 91759A
Features: - Includes a set of Stainless Steel adjustable mounting legs 6" - 7.5"
- 1 Tier Display w/ Heat Lamps and Sea Rail (opposite door side)



R14F6-2M-SN-MLR

Cospolich Stainless Steel, Shipboard, Modular Combination Refrigerator/Freezer
32" Wide x 27" Actual Cabinet Depth x 72" Height
Hinge Location: Right
115V, 1-Phase, 60 Hz, 404A Refrigerant
IAW Cospolich Drawing: 50653
Unit Specifications: - NO Mounting Legs Required for this unit.



CFC3T-2M-SN-MLR

Cospolich Stainless Steel, Shipboard, Modular Cold Food Counter
54" Wide x 26" Depth x 30" Height
115V, 1-Phase, 60 Hz, 404A Refrigerant
Hinge Location: Right
IAW Cospolich Drawing: 50550-3
Shipment Weight: 500 Lbs.
NSN: 7310-01-410-0603 APL: 32A990077
Unit Includes:

- Front and Back Grill
- Refrigeration Compartment on the Right
- Double Access Sneeze Shield
- Set of Stainless Steel Legs



US Coast Guard

CFC4T-2M-SN-MLR

Cospolich Stainless Steel, Shipboard, Modular Cold Food Counter, 4 Tray
66" Wide x 26" Depth x 30" Height
115V, 1-Phase, 60 Hz, 404A Refrigerant
Hinge Location: Standard
IAW Cospolich Drawing: 50548
Unit Includes:
- No Accessories Included



R25-2M-SMT-MLR

Cospolich Stainless Steel, Shipboard, "Modified" top Mount Modular Refrigerator
48" Wide x 25" Actual Cabinet Depth x 72" Height
115V, 1-Phase, 60 Hz, 404A Refrigerant
Hinge Location: Standard
IAW Cospolich Drawing: 92024
Shipment Weight: 525 Lbs.

- Notes
- This cabinet to be constructed of 304 stainless steel on the interior and exterior.
 - The Overall Cabinet Depth dimension of 27" which includes the cabinet, the drain line cover located on the cabinet rear section and the cabinet doors, MUST NOT BE EXCEEDED. This is a critical dimension on this cabinet based on the available space on-board the vessel for this unit.
 - The Refrigeration Assembly will be mounted on the CABINET TOP SECTION in a Self-Contained configuration.
 - Quotation pricing included "Front Air Discharge" capability, which is comprised of a special design louvered grill with a fan assembly attached to circulate air out of the front section of the cabinet top area.
 - The cabinet front section will be configured with two full length, stainless steel hinged doors. The cabinet doors will be a standard hinge arrangement (1-Left / 1-Right) unless otherwise advised.
 - This unit to include an exterior mounted LED Digital Thermometer on the upper cabinet front, right side for monitoring temperature level in the cabinet storage area.
 - NO Mounting legs will be required for this unit.



US Coast Guard

R6F3-2M-SN-MLR

Cospolich Stainless Steel, Marine Duty, Modular Combination Refrigerator/Freezer

30" Wide x 22" Depth x 58" Height

115V, 1-Phase, 60 Hz, 404A Refrigerant

Hinge Location: Left

IAW Cospolich Drawing: 50669-1

Shipping Weight: 450 Lbs.

Unit Specifications:

- This cabinet will be constructed of 304 Stainless Steel on interior and exterior
- NO Mounting Legs will be required for this unit.



R9F9-2M-SN-MLR

Cospolich Stainless Steel, Marine Duty, Modular Combination Refrigerator/Freezer

32" Wide x 27" Depth x 72" Height

115V, 1-Phase, 60 Hz, 404A Refrigerant

Hinge Location: Left

IAW Cospolich Drawing: 50730

Shipping Weight: 400 Lbs.

Unit Specifications:

- NO Legs included



F10-2M-SN-MLR

Cospolich Stainless Steel, Shipboard, Modular Freezer

30" Wide x 24" Depth x 58" Height

115V, 1-Phase, 60 Hz, 404A Refrigerant

Hinge Location: Left

IAW Cospolich Drawing: 50670-1

Shipping Weight: 400 Lbs.

Unit Specifications:

- This cabinet will be constructed of 304 Stainless Steel on the interior and exterior.
- NO Mounting legs will be required for this unit.



US Coast Guard

R28F50-2M-SN-MLR

Cospolich Stainless Steel, Marine Duty, Modular Combination Refrigerator/Freezer w/ Ice Maker
88" Wide x 34" Actual Cabinet Depth x 75" Height
115V, 1-Phase, 60 Hz, 404A Refrigerant
Hinge Location: Standard
IAW Cospolich Drawing: 50587-2
Shipping Weight: 1,900 Lbs. (Packaged)
Unit Specifications:

- Legs Included
- Unit to include 1 RW1M01 Ice Maker



R41-2M-SN-MLR(FRC)

Cospolich Stainless Steel, Marine Duty, Modular Refrigerator
51" Wide x 31" Depth x 72" Height
115V, 1-Phase, 60 Hz, 404A Refrigerant
Hinge Location: Standard
IAW Cospolich Drawing: 92414
Shipping Weight: 606 Lbs.
Unit Specifications:

- Legs not Required



F41-2M-SN-MLR(FRC)

Cospolich Stainless Steel, Marine Duty, Modular Freezer
51" Wide x 31" Depth x 72" Height
115V, 1-Phase, 60 Hz, 404A Refrigerant
Hinge Location: Standard
IAW Cospolich Drawing: 92415
Shipping Weight: 606 Lbs.
Unit Specifications:

- Legs not Required



US Coast Guard

F20-2M-ADS-MLR(M)

Cospolich Stainless Steel, Marine Duty, Modular Custom Combination Refrigerator/Freezer
34" Wide x 28" Actual Cabinet Depth x 74" Height
115V, 1-Phase, 60 Hz, 404A Refrigerant
Hinge Location: Standard
IAW Cospolich Drawing: 93398
Unit Specifications:

- Legs NOT Included
- Unit to include Omni Stat Controller



UCR10-2M-SN-MLR

Cospolich Stainless Steel, Shipboard Modular Undercounter Refrigerator
49" Wide x 25" Depth x 28" Height
115V, 1-Phase, 60 Hz, 404A Refrigerant
Hinge Location: Right
IAW Cospolich Drawing: 50652-3
Unit Specifications:

- Legs not Included
- included Electronic Controller



R17F13-2M-SN-MLR

Cospolich Stainless Steel, Shipboard Modular Refrigerator/Freezer
49" Wide x 31" Depth x 72" Height
115V, 1-Phase, 60 Hz, 404A Refrigerant
Hinge Location: Standard
IAW Cospolich Drawing: 50737
Unit Specifications:

- Epoxy shelves to be furnished with this unit



US Coast Guard

UCR5F5-2M-SNM

Cospolich Stainless Steel, Shipboard, Modified Undercounter Refrigerator/Freezer
48" Wide x 26" Actual Cabinet Depth x 38" Height
115V, 1-Phase, 60 Hz, 404A Refrigerant
Hinge Location: Standard
IAW Cospolich Drawing: 91753



R20F20-2M-ADS-MLR

Cospolich Stainless Steel, Marine Duty Modular Refrigerator/Freezer
58" Wide x 31" Depth x 72" Height
115V, 1-Phase, 60 Hz, 404A Refrigerant
Hinge Location: Right
IAW Cospolich Drawing: 50247
Unit Specifications:

- Legs not Included
- included Electronic Controller

