

CVN-78 Walk-Ins

WIC

2nd Deck Vegetable Prep Storage

Shipboard Stainless Steel 2nd Deck Vegetable Prep Storage DX3120FX

12'-10" Wide x 7'-2 3/4" Deep x 7'-9" High

Hinge: Left IAW Cospolich Drawing # 92409-1

- Includes
- 16 ga type 304 Stainless Steel Interior and Exterior Walls, Ceiling, and Floor
 - Stainless Steel Shipboard Shelving w/ Battens
 - Stainless Steel Marine duty Walk-In cooler Door w/ lockable positive latch, inside safety release, perimeter mullion heaters, and replaceable gasket.
 - Clear opening: 30" Wide x 54" high w/ 15" sill
 - Floor Drain
 - Cospolich Seamless Floor Design
 - Aluminum floor grating
 - Vapor proof interior lighting
 - Man trapped alarm
 - High/Low temp. alarm w/ electronic controller
 - Hold Back hook to keep door in opened position
 - Air cooled remote refrigeration package
 - Underlayment between cabinet and vessel deck



WIF

Walk-In Freezer No. 2

Shipboard Stainless Steel Walk-In Freezer No. 2 DZ2620AX

8'-4" Wide x 8'-0" Deep x 7'-9" High

Hinge: Left IAW Cospolich Drawing # 92407-1

- Includes
- 16 ga type 304 Stainless Steel Interior and Exterior Walls, Ceiling, and Floor
 - Stainless Steel Shipboard Shelving w/ Battens
 - Stainless Steel Marine duty Walk-In cooler Door w/ lockable positive latch, inside safety release, perimeter mullion heaters, and replaceable gasket.
 - Clear opening: 30" Wide x 54" high w/ 15" sill
 - Floor Drain
 - Cospolich Seamless Floor Design
 - Aluminum floor grating
 - Vapor proof interior lighting
 - Man trapped alarm
 - High/Low temp. alarm w/ electronic controller
 - Hold Back hook to keep door in opened position
 - Air cooled remote refrigeration package
 - Underlayment between cabinet and vessel deck



CVN-78 Walk-Ins


WIC Walk-In Thaw No . 2

Shipboard Stainless Steel Walk-In Thaw No . 2 2620AX

9-3 3/4" Wide x 29'-9" Deep x 7'-9" High

Hinge: Left IAW Cospolich Drawing # 92408-1

- Includes
- 16 ga type 304 Stainless Steel Interior and Exterior Walls, Ceiling, and Floor
 - Offset on front end of cabinet
 - Stainless Steel Shipboard Thaw Room Racks w/ shelf and thaw pans designed to catch drippings
 - Stainless Steel Marine duty Walk-In cooler Door w/ lockable positive latch, inside safety release, perimeter mullion heaters, and replaceable gasket.
 - Clear opening: 30" Wide x 54" high w/ 15" sill
 - Floor Drain
 - Cospolich Seamless Floor Design
 - Aluminum floor grating
 - Vapor proof interior lighting
 - Man trapped alarm
 - High/Low temp. alarm w/ electronic controller
 - Hold Back hook to keep door in opened position
 - Air cooled remote refrigeration package
 - Underlayment between cabinet and vessel deck



WIC Walk-In Chill No . 2

Shipboard Stainless Steel Walk-In Chill No . 2 DZ3120FX

9-3 3/4" Wide x 19'-9 3/4" Deep x 7'-9" High

Hinge: Left IAW Cospolich Drawing # 92410-1

- Includes
- 16 ga type 304 Stainless Steel Interior and Exterior Walls, Ceiling, and Floor
 - Offset on front end of cabinet
 - Stainless Steel Shipboard Thaw Room Racks w/ shelf and thaw pans designed to catch drippings
 - Stainless Steel Marine duty Walk-In cooler Door w/ lockable positive latch, inside safety release, perimeter mullion heaters, and replaceable gasket.
 - Clear opening: 30" Wide x 54" high w/ 15" sill
 - Floor Drain
 - Cospolich Seamless Floor Design
 - Aluminum floor grating
 - Vapor proof interior lighting
 - Man trapped alarm
 - High/Low temp. alarm w/ electronic controller
 - Hold Back hook to keep door in opened position
 - Air cooled remote refrigeration package
 - Underlayment between cabinet and vessel deck



CVN-78 Walk-Ins

WICF Walk-In Combination Freeze/Thaw/Chill

Shipboard Stainless Steel Walk-In Combination Freeze/Thaw/ Chill DX4902FX

13'-10" Wide x 29'-5" Deep x 7'-9" High

Hinge: Varies IAW Cospolich Drawing # 92411-1

- Includes
- 16 ga type 304 Stainless Steel Interior and Exterior Walls, Ceiling, and Floor
 - Stainless Steel Shipboard Shelving in Chill and Freeze units w/ battens
 - Stainless Steel Shipboard Thaw Room Racks w/ shelf and thaw pans designed to catch drippings
 - 3 ea. Stainless Steel Marine duty Walk-In cooler Door w/ lockable positive latch, inside safety release, perimeter mullion heaters, and replaceable gasket.
 - Clear opening: 30" Wide x 54" high w/ 15" sill
 - Floor Drain
 - Cospolich Seamless Floor Design
 - Aluminum floor grating
 - Vapor proof interior lighting : 2 in Chill, 3 in Thaw, 2 in Freezer
 - Man trapped alarm in each compartment
 - High/Low temp. alarm w/ electronic controller in chill and Thaw areas
 - High temp alarm w/ electronic controller in Freezer area
 - Hold Back hook to keep door in opened position
 - 3 ea. Air cooled remote refrigeration package
 - Underlayment between cabinet and vessel deck



USL14W-MLR-51007

Unitary Serving Line

519" Wide x 38" Deep x 31 1/8" High

IAW Cospolich Drawing # 51007

- Includes
- 2 ea 112.375" Stainless Steel Cabinets w/ Stainless Steel top each containing 7 dual temp units mounted in top
 - Each Dual Temp Serving Line to have single point entry for electrical power into a common junction box w/ individual breakers for each well
 - 2 ea. 26" wide Stainless Steel plate dispenser cabinets
 - All cabinets to have front legs only. Rear of cabinet supported by deck coaming.
 - 1 ea. Cospolich model UCR20-2M-SN-MLR Undercounter Modular Refrigerator w/ Stainless Steel worktop and Omni Stat
 - Stainless Steel ribbed style tray rail 519" long
 - 16 ea. Stainless Steel Marine Style Legs, adjustable from 7" to 8.5"
 - Approximately 242" of Stainless Steel back panel
 - 4 ea. Dish Dispensers



CVN-78 Serving Lines & Unitary Reefers

USL5W-MLR-51005

Unitary Serving Line

264" Wide x 38" Deep x 31 1/8" High (not including legs)

IAW Cospolich Drawing # 51005

- Includes
- 5 ea Dual Temp Units mounted in 98" Stainless Steel Cabinet w/ Stainless Steel Top
 - Each Dual Temp Serving Line to have single point entry for electrical power into a common junction box w/ individual breakers for each well
 - 1 ea. Cospolich model UCR20-2M-SN-MLR Undercounter Modular Refrigerator w/ Stainless Steel worktop and Omni Stat
 - All cabinets to have front legs only. Rear of cabinet supported by deck coaming.
 - Stainless Steel ribbed style tray rail 264" long
 - 9 ea. Stainless Steel Marine Style Legs, adjustable from 7" to 8.5"
 - Approximately 166" of Stainless Steel back panel
 - 6 ea. Flatware Bins



USL5W-MLR-51006

Unitary Serving Line

384" Wide x 38" Deep x 31 1/8" High (not including legs)

IAW Cospolich Drawing # 51006

- Includes
- 5 ea Dual Temp Units mounted in 135.5" Stainless Steel Cabinet w/ Stainless Steel Top w/ plate and bowl dispensers
 - Each Dual Temp Serving Line to have single point entry for electrical power into a common junction box w/ individual breakers for each well
 - 1 ea. Cospolich model UCR20-2M-SN-MLR Undercounter Modular Refrigerator w/ Stainless Steel worktop and Omni Stat
 - All cabinets to have front legs only. Rear of cabinet supported by deck coaming.
 - 2 ea. Stainless Steel 2-drawer units
 - Stainless Steel ribbed style tray rail 384" long
 - 1 ea. Stainless Steel cabinet w/ work top and 6 ea. Utensil holders
 - 16 ea. Stainless Steel Marine Style Legs, adjustable from 7" to 8.5"
 - Approximately 218" of Stainless Steel back panel
 - 6 ea. Flatware Bins



CVN-78 Serving Lines & Unitary Reefers

USL9W-MLR-51004

Unitary Serving Line

257 Wide x 38" Deep x 31 1/8" High (not including legs)

IAW Cospolich Drawing # 51004

- Includes
- 9 ea Dual Temp Units mounted in 2 Stainless Steel Cabinets w/ Plate Dispensers
 - Each Serving Line Cabinet to have single point entry for electrical power into a common junction box w/ individual breakers for each well
 - All cabinets to have front legs only. Rear of cabinet supported by deck coaming.
 - Stainless Steel ribbed style tray rail 257" long
 - 6 ea. Stainless Steel Marine Style Legs, adjustable from 7" to 8.5"
 - Approximately 54.75" of Stainless Steel back panel
 - 4 ea. Dish Dispensers



USL6W-MLR-51003

Unitary Serving Line

350.5" Wide x 38" Deep x 31 1/8" High (not including legs)

IAW Cospolich Drawing # 51003

- Includes
- 6 ea Dual Temp Units mounted in 144" Stainless Steel Cabinet w/ Stainless Steel Top w/ plate and bowl dispensers
 - Each Dual Temp Serving Line to have single point entry for electrical power into a common junction box w/ individual breakers for each well
 - 1 ea. Cospolich model UCR20-2M-SN-MLR Undercounter Modular Refrigerator w/ Stainless Steel worktop and Omni Stat
 - All cabinets to have front legs only. Rear of cabinet supported by deck coaming.
 - 2 ea. Stainless Steel 2-drawer units
 - Stainless Steel ribbed style tray rail 350" long
 - 1 ea. Stainless Steel cabinet w/ work top and 6 ea. Utensil holders
 - 6 ea. Stainless Steel Marine Style Legs, adjustable from 7" to 8.5"
 - Approximately 169" of Stainless Steel back panel
 - 2 ea. Dish Dispensers




USL6W-MLR-51002

Unitary Serving Line

350.5" Wide x 38" Deep x 31 1/8" High (not including legs)

IAW Cospolich Drawing # 51002

- Includes
- 6 ea Dual Temp Units mounted in 144" Stainless Steel Cabinet w/ Stainless Steel Top w/ plate and bowl dispensers
 - Each Dual Temp Serving Line to have single point entry for electrical power into a common junction box w/ individual breakers for each well
 - 1 ea. Cospolich model UCR20-2M-SN-MLR Undercounter Modular Refrigerator w/ Stainless Steel worktop and Omni Stat
 - All cabinets to have front legs only. Rear of cabinet supported by deck coaming.
 - 2 ea. Stainless Steel 2-drawer units
 - Stainless Steel ribbed style tray rail 350" long
 - 1 ea. Stainless Steel cabinet w/ work top and 6 ea. Utensil holders
 - 6 ea. Stainless Steel Marine Style Legs, adjustable from 7" to 8.5"
 - Approximately 169" of Stainless Steel back panel
 - 2 ea. Dish Dispensers



CVN-78 Serving Lines & Unitary Reefers

FSL4W-MLR-51009

Flex Serving Line

79" Wide x 29" Deep x 31 1/8" High (not including legs)

IAW Cospolich Drawing # 51009

- Includes
- 79" Stainless Steel Cabinet, Stainless Steel Top w/ Marine Edge, 4" backsplash and 4 ea. Cospolich model DFM-N Portable Dual Temp Serving Modules
 - 2-Tier, Single Access Stainless Steel Display w/ curved sneeze guards
 - Stainless Steel ribbed style tray rail 79" long
 - 8 ea. Stainless Steel, Marine Style Legs, adjustable from 7" to 8.5"



FSL4W-MLR-51010

Flex Serving Line

79" Wide x 29" Deep x 31 1/8" High (not including legs)

IAW Cospolich Drawing # 51010

- Includes
- 79" Stainless Steel Cabinet, Stainless Steel Top w/ Marine Edge, 4" backsplash and 4 ea. Cospolich model DFM-N Portable Dual Temp Serving Modules
 - 2-Tier, Single Access Stainless Steel Display w/ curved sneeze guards
 - Stainless Steel ribbed style tray rail 79" long
 - 8 ea. Stainless Steel, Marine Style Legs, adjustable from 7" to 8.5"



FSL8W-MLR-51011

Flex Serving Line

154" Wide x 29" Deep x 31 1/8" High (not including legs)

IAW Cospolich Drawing # 51011

- Includes
- 154" Stainless Steel Cabinet, Stainless Steel Top w/ Marine Edge, (no backsplash) and 8 ea. Cospolich model DFM-N Portable Dual Temp Serving Modules
 - 2-Tier, Single Access Stainless Steel Display w/ curved sneeze guards
 - Stainless Steel ribbed style tray rail 79" long
 - 8 ea. Stainless Steel, Marine Style Legs, adjustable from 7" to 8.5"



FSL7W-MLR-51012

Flex Serving Line

135" Wide x 29" Deep x 31 1/8" High (not including legs)

IAW Cospolich Drawing # 51012

- Includes
- 135" Stainless Steel Cabinet, Stainless Steel Top w/ Marine Edge, w/backsplash and 7 ea. Cospolich model DFM-N Portable Dual Temp Serving Modules
 - 2-Tier, Single Access Stainless Steel Display w/ curved sneeze guards
 - Stainless Steel ribbed style tray rail 135" long
 - 8 ea. Stainless Steel, Marine Style Legs, adjustable from 7" to 8.5"



CVN-78 Serving Lines & Unitary Reefers

F41-2M-SN-MLR

Stainless Steel Shipboard Modular Freezer
51" Wide x 31" Deep x 72" High 115VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing # 50697.1
Shipping Weight: 800 lbs.
Includes - 7 ga. 4" High Stainless Steel Foundation
- Omni Stat



F65-2M-SN-MLR

Stainless Steel Shipboard Modular Freezer
76" Wide x 31" Deep x 72" High 115VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing # 50644.1
Shipping Weight: 1260 lbs.
Includes - 7 ga. 4" High Stainless Steel Foundation
- Omni Stat



HP2H-2M-SN-MLR

Stainless Steel, Shipboard, Modular Horizontal Proofing Cabinet w/ legs
46" Wide x 30" Deep x 30" High 115VAC, 1 Phase, 60 hz
Hinge: Standard IAW Cospolich Drawing # 51015
Shipping Weight: 600 lbs.
Includes - 8 ea. Stainless Steel, Marine Style Legs, adjustable from 7" to 8.5" (HLEG82SET)



MS2-2M-SNM

Stainless Steel Refrigerated Stand w/ Front Breathing Design
27" Wide x 24" Deep x 28.75" High
IAW Cospolich Drawing # 51014 115VAC, 1 Phase, 60 hz, 134a Refrigerant
Hinge: Left
Includes - 7 ga. 4" High Stainless Steel Foundation
- Standard Control



CVN-78 Serving Lines & Unitary Reefers

R10F10-2M-SN-MLR

Stainless Steel Shipboard Modular Combination Refrigerator/Freezer
32" Wide x 31" Deep x 72" High 115VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Right IAW Cospolich Drawing # 50991.1
Shipping Weight: 650 lbs.
Includes - 7 ga. 4" High Stainless Steel Foundation
- Omni Stat



R20-2M-SN-MLR

Stainless Steel Shipboard Modular Refrigerator
32" Wide x 31" Deep x 72" High 115VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Right IAW Cospolich Drawing # 50664
Shipping Weight: 550 lbs.
Includes - 7 ga. 4" High Stainless Steel Foundation
- Omni Stat



R41-2M-SN-MLR

Stainless Steel Shipboard, Modular Refrigerator
51" Wide x 31" Deep x 72" High 115VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing # 50699.1
Shipping Weight: 800 lbs.
Includes - 7 ga. 4" High Stainless Steel Foundation
- Omni Stat



R50-2M-SN-MLR

Stainless Steel Shipboard, Modular Refrigerator
65" Wide x 31" Deep x 72" High 115VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing # 50639.1
Shipping Weight: 1200 lbs.
Includes - 7 ga. 4" High Stainless Steel Foundation
- Omni Stat



CVN-78 Serving Lines & Unitary Reefers

R65-2M-SN-MLR

Stainless Steel Shipboard Modular Refrigerator
76" Wide x 31" Deep x 72" High 115VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Right IAW Cospolich Drawing # 50698.1
Shipping Weight: 1260 lbs.

Includes - 7 ga. 4" High Stainless Steel Foundation
- Omni Stat



UCF20-2M-SN-MLR

Stainless Steel Shipboard Modular Refrigerator
84" Wide x 25" Deep x 28" High 115VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing # 50700.1
Shipping Weight: 500 lbs.

Includes - 7 ga. 4" High Stainless Steel Foundation
- Omni Stat



UCR20-2M-SN-MLR

Stainless Steel Shipboard Modular Refrigerator
84" Wide x 25" Deep x 28" High 115VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing # 50696.1
Shipping Weight: 550 lbs.

Includes - 7 ga. 4" High Stainless Steel Foundation
- Omni Stat



R10-2M-SNL-MLR

Stainless Steel Shipboard, Modular Refrigerator w/ High/Low -Temperature Alarm
30" Wide x 26" Deep (including doors) x 58" High 115VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Right IAW Cospolich Drawing # 51013 Rev B
Shipping Weight: 400 lbs.

Includes - 4" 3/16 Type 304 Stainless Steel 7 ga. Foundation
- High/Low temp Alarm (HLTA01R-EC)
- Electronic Controls
- Standard Unit



CVN-78 Serving Lines & Unitary Reefers

R10F10-2M-SNL

Stainless Steel Shipboard, Modular Combination Refrigerator/Freezer w/ High/Low/High –Temperature Alarm
32" Wide x 32" Deep (including doors & tubing cover) x 72" High (w/o foundation)
115VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Right IAW Cospolich Drawing # 50228 Rev C
Shipping Weight: 500 lbs.

Includes - High/Low/High –Temperature Alarm w/ dry contacts to be integrated into ship's alarm system
- 4" 3/16 Type 304 Stainless Steel 7 ga. Foundation (R10F10-2M-SNL w/ foundation—76" High)



R10-2M-SN-MLR

Stainless Steel Shipboard, Modular Refrigerator w/ High/Low –Temperature Alarm
30" Wide x 26" Deep (including doors) x 58 "High 115VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Right IAW Cospolich Drawing # 51013 Rev B
Shipping Weight: 400 lbs.

Includes - 4" 3/16 Type 304 Stainless Steel 7 ga. Foundation



F41-2M-SN

Stainless Steel Shipboard, Freezer
51" Wide x 32" Deep w/ doors x 72 "High 115VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Standard IAW Cospolich Drawing # 93491
Shipping Weight: 800 lbs.

Includes - HXLH22 Latches 533D
- HXLH22-S Latch shims



F4-2M-SNML

Stainless Steel Shipboard, Refrigerator w/ High/Low –Temperature Alarm
24" Wide x 27" Deep (w/o doors) x 34 "High 115VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Right IAW Cospolich Drawing # 51041
Shipping Weight: 300 lbs.

Includes - 4" 3/16 Type 304 Stainless Steel 7 ga. Foundation
- High/Low temp Alarm (HLTA01R-EC)
- Static Coil
- Front Flush Grill



CVN-78 Serving Lines & Unitary Reefers

ISF30-2M-SNE

Stainless Steel Shipboard, Flammable Material Storage Freezer
35.5" Wide x 35" Deep x 80" High (w/o foundation)
115VAC, 1 Phase, 60 hz, 404a Refrigerant
Hinge: Right IAW Cospolich Drawing # 93480-1
Shipping Weight: 500 lbs.

- Includes
- Top Mount Refrigeration
 - operating Range—13° to 14° Fahrenheit (+/- 4°)
 - Explosion Proof Interior
 - 9 Stainless Steel Shelves (3 Fixed/5 Adjustable / 1 bottom)
 - 6" Chart Recorder
 - Audible Alarm w/ Battery Backup
 - Alarm Settings for High/Low Temperature As well as Power Failure
 - Lockable Exterior Door
 - Programmable Electronic Temperature Controller
 - Keyed Power On/Off Switch w/ Lighted Power Indicator

